

View Online at https://aerobasegroup.com/nsn/5910-01-225-8467

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.500 inches

Body Length:

0.200 inches

Body Width:

0.200 inches

**Body Height:** 

0.100 inches

#### Center To Center Distance Between Terminals Parallel To Length:

Between 0.169 inches and 0.231 inches

#### **Terminal Diameter:**

Between 0.015 inches and 0.020 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

10000.0 megohms

### Capacitance Value Per Section:

91.000 picofarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-80.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0 to 30.0 single section

### **Tolerance Range Per Section:**

-5.00 to 5.00 percent single section

#### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

100000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

2.500

## **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0