## NSN 5910-01-226-6374

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-226-6374			
Body Style:			
W/o mtg facilities terminal (s) on one surface			
Reliability Indicator:			
Not established			
Terminal Length:			
1.500 inches			
Body Length:			
0.150 inches			
Body Width:			
0.150 inches			
Body Height:			
0.100 inches			
Center To Center Distance Between Terminals Parallel To Length:			
Between 0.069 inches and 0.131 inches			
Terminal Diameter:			
Between 0.015 inches and 0.020 inches			
Schematic Diagram Designator:			
No common or grounded electrode (s)			
Insulation Resistance At Maximum Operating Temp:			
10000.0 megohms			
Capacitance Value Per Section:			
15.000 picofarads single section			
Nonderated Operating Temp:			
Between -55.0 degrees celsius and 85.0 degrees celsius			
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:			
0.0 single section			
Nonderated Continuous Voltage Rating And Type Per Section:			
100.0 dc single section			
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:			
-30.0 to 30.0 single section			
Tolerance Range Per Section:			
-5.00 to 5.00 percent single section			
Case Material:			
Plastic			
Insulation Resistance At Reference Temp:			
100000.0 megohms			
Dissipation Factor At Reference Tempurature In Percent:			
2.500			
Terminal Surface Treatment:			
Solder			

2 uninsulated wire lead

**Terminal Type And Quantity:** 

## NSN 5910-01-226-6374

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Sh	elf	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0