## NSN 5910-01-227-8342

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-227-8342 **Body Style:** W/o mtg facilities, axial terminals **Reliability Indicator:** Not established **Terminal Length:** 0.500 inches **Body Diameter:** 1.630 inches **Body Length:** 4.750 inches **Terminal Diameter:** 0.190 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Mounting Facility Screw Thread Series Designator:** Unef **Mounting Facility Type And Quantity:** 2 threaded mounting studs **Capacitance Value Per Section:** 0.025 microfarads single section **Nonderated Operating Temp:** 65.0 degrees celsius **Thread Size:** 0.190 inches Nonderated Continuous Voltage Rating And Type Per Section: 6000.0 dc single section **Tolerance Range Per Section:** -10.00 to 10.00 percent single section Case Material: Metal **Insulation Resistance At Reference Temp:** 50000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.5000 **Terminal Surface Treatment:** Solder **Dielectric Material:** Paper and plastic

**Terminal Type And Quantity:** 

2 threaded stud

## NSN 5910-01-227-8342

Plastic Dielectric Fixed Capacitor - Page 2 of 2



SI	1e	lf	Ιi	fe:
Ο.	···	•••	_,	٠٠.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0