

View Online at https://aerobasegroup.com/nsn/5910-01-227-9653

Body Styl	le:
Chip type	
Reliability	/ Indicator:
Not establ	ished
Terminal	Length:
Between C	0.060 inches and 0.090 inches
Body Len	gth:
Between C	0.120 inches and 0.150 inches
Body Wid	lth:
Between C	0.065 inches and 0.100 inches
Body Heig	ght:
Between C	0.095 inches and 0.125 inches
Schemati	c Diagram Designator:
No commo	on or grounded electrode (s)
Insulation	Resistance At Maximum Operating Temp:
100000.0	megohms
Capacitar	nce Value Per Section:
62.000 pic	cofarads single section
Nonderate	ed Operating Temp:
Between -	55.0 degrees celsius and 125.0 degrees celsius
Tempurat	ure Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
90.0 single	e section
Nonderate	ed Continuous Voltage Rating And Type Per Section:
200.0 dc s	single section
Tolerance	e Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-20.0 to 20	0.0 single section
Tolerance	e Range Per Section:
-5.00 to 5.	00 percent single section
Case Mate	erial:
Glass	
Insulation	n Resistance At Reference Temp:
1000000.0) megohms
Quality Fa	actor At Reference Temp:
1290.000	
Terminal	Surface Treatment:
Silver	
Precious	Material And Location:
Terminal s	surfaces silver
Terminal	Type And Quantity:
2 ribbon	
Shelf Life	:
N/a	

Glass Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A010b0