## NSN 5910-01-228-0562

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-228-0562 **Body Style:** W/mtg tabs/flanges, terminal (s) on one surface Reliability Indicator: Not established **Mounting Slot Width:** 0.500 inches **Body Length:** 14.000 inches **Body Width:** 6.880 inches **Body Height:** 26.000 inches Center To Center Distance Between Terminals Parallel To Length: 9.000 inches **Terminal Diameter:** 0.500 inches **Terminal Height From Body:** 2.880 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Mounting Facility Type And Quantity:** 1 mounting slots **Capacitance Value Per Section:** 35.000 microfarads single section **Nonderated Operating Temp:** Between 10.0 degrees celsius and 45.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 18500.0 dc single section **Tolerance Range Per Section:** -10.00 to 10.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 50000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.5000 **Terminal Surface Treatment:** Solder

**Dielectric Material:** 

Paper and plastic

## NSN 5910-01-228-0562

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Terminal <sup>-</sup>	Type	And	Quantity	<b>/</b> :
-----------------------	------	-----	----------	------------

2 standoff, threaded stud

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0