NSN 5910-01-228-1810

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-228-1810 **Body Style:** Compression **Terminal Length:** 0.200 inches **Body Length:** 0.200 inches **Body Width:** 0.200 inches **Body Height:** 0.060 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -1100.0 to 300.0 single section **Quality Factor At 25 Deg Celsius:** 200.0 **Inclosure Type: Encased Adjustment Device Torque:** Between 0.100 inch-ounces and 2.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 1 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +6.0 to 26.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 square hole **Capacitance Drift In Picofarads:** 0.05 single section **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

NSN 5910-01-228-1810

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0