## NSN 5910-01-229-1454

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-229-1454 **Body Style:** Piston **Overall Length:** 0.323 inches **Body Length:** 0.246 inches **Overall Diameter:** 0.185 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 350.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -100.0 to 100.0 single section **Terminal Diameter:** 0.185 inches **Quality Factor At 25 Deg Celsius:** 2000.0 **Inclosure Type: Encased Terminal Location:** End opposite adjustment control and circumference perpendicular **Adjustment Device Torque:** Between 0.200 inch-ounces and 2.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -65.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.6 to 4.5 single section **Nonderated Voltage Rating And Type:** 500.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 1 ferrule and 1 flange Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

## NSN 5910-01-229-1454

Glass Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0