

View Online at https://aerobasegroup.com/nsn/5910-01-234-4742

#### **Body Style:**

W/o mtg facilities, radial terminals

### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.250 inches

#### **Body Diameter:**

Between 0.210 inches and 0.370 inches

#### **Body Length:**

Between 0.080 inches and 0.160 inches

### Capacitance Value Per Section:

6.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-330.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-60.0/+60.0 single section

# **Tolerance Range Per Section:**

-0.25/+0.25 picofarads single section

### Case Material:

Ceramic

### **Test Data Document:**

81349-mil-c-20 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Terminal Type And Quantity:**

2 uninsulated wire lead

### **Specification Data:**

81349-mil-c-20/16 government specification

### Shelf Life:

N/a

### Unit Of Measure:

```
--
```

Demilitarization:

No

Fiig:

A010b0