Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-238-1500

#### Body Style:

W/o mtg facilities, terminal (s) on one surface

**Reliability Indicator:** 

Not established

## Terminal Length:

6.0 millimeters

#### Body Length:

13.0 millimeters

#### **Body Width:**

4.5 millimeters

#### **Body Height:**

9.5 millimeters

#### Center To Center Distance Between Terminals Parallel To Length:

10.0 millimeters

#### **Terminal Diameter:**

0.8 millimeters

## Schematic Diagram Designator:

No common or grounded electrode (s)

## Capacitance Value Per Section:

0.220 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 100.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

## Insulation Resistance At Reference Temp:

30000.0 megohms

# Dissipation Factor At Reference Tempurature In Percent:

0.020

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5910-01-238-1500 Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



**Fiig:** A010b0