## NSN 5910-01-238-6695

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-238-6695

D	_	٦,		0	٠			
D	u	u	v	J	ιν	ш	e:	

W/o mtg facilities terminal (s) on one surfacew/o mtg facilities terminal(s) on one surfacew/o mtg facilities terminal(s) on one surfacew/o mtg facilities terminal(s)

## **Reliability Indicator:**

Not establishednot established

**Terminal Length:** 

1.000 inches 1.000 inches 1.000 inches

**Body Length:** 

0.600 inches

**Body Width:** 

0.375 inches

**Body Height:** 

0.195 inches

**Center To Center Distance Between Terminals Parallel To Length:** 

0.200 inches

**Terminal Diameter:** 

0.025 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Anode Type:** 

Solid

**Electrical Polarization:** 

Polarized

**End Application:** 

5835-01-023-4332 recorder-reprod

**Capacitance Value Per Section:** 

68.000 microfarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

**Tolerance Range Per Section:** 

-10.00/+10.00 percent single section

**Case Material:** 

Plastic

**Capacitive Electrode Material:** 

**Tantalum** 

**Dissipation Factor At Reference Tempurature In Percent:** 

8.000

Dc Leakage At Reference Temp:

0.500 microamperes

**Terminal Surface Treatment:** 

Solder

## NSN 5910-01-238-6695

Electrolytic Fixed Capacitor - Page 2 of 2



	Ī	erminal	Type	And	Quantit	y:
--	---	---------	------	-----	---------	----

2 uninsulated wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0