

View Online at <https://aerobasegroup.com/nsn/5910-01-239-6987>

Body Style:

W/thd bushing mtg, terminals on opposite end

Reliability Indicator:

Not established

Width Across Flats:

0.187 inches

Terminal Length:

0.610 inches

Body Length:

0.468 inches

Continuous Current Rating In Amps:

10.0

Terminal Diameter:

0.032 inches

Schematic Diagram Designator:

Feedthrough

Mounting Facility Screw Thread Series Designator:

Unef

Mounting Facility Type And Quantity:

1 threaded bushing

Section Quantity:

3

Features Provided:

Mounting hardware

Capacitance Value Per Section:

0.030 microfarads single section

Voltage Temperature Limits Per Section In Percent Capacitance Change:

-55.0/+125.0 with rated voltage applied single section

Nonderated Operating Temp:

25.0 degrees celsius

Thread Size:

0.216 inches

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

Tolerance Range Per Section:

-0.00/+100.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

500.0 megohms

Dissipation Factor At Reference Temperature In Percent:

2.500

Reference Temperature At Which Rated:

25.0 degrees celsius

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0