NSN 5910-01-240-2256

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-240-2256 **Body Style:** W/o mtg facilities, terminal (s) on one surface **Reliability Indicator:** Not established **Body Length:** 1.140 inches **Body Width:** 0.580 inches **Body Height:** 6.250 inches **Center To Center Distance Between Terminals Parallel To Length:** 0.380 inches **Terminal Diameter:** 0.250 inches **Terminal Height From Body:** 1.700 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Mounting Facility Screw Thread Series Designator:** Unc **Mounting Facility Type And Quantity:** 2 threaded mounting studs **Capacitance Value Per Section:** 5.000 microfarads single section **Nonderated Operating Temp:** Between -10.0 degrees celsius and 70.0 degrees celsius **Thread Size:** 0.250 inches Nonderated Continuous Voltage Rating And Type Per Section: 800.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 10000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.100 **Terminal Surface Treatment:** Solder

Plastic

Dielectric Material:

NSN 5910-01-240-2256

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Terminal Type And Quantity	Terminal	Type	And	Quantity	/ :
----------------------------	----------	-------------	-----	----------	------------

2 standoff, solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0