## NSN 5910-01-240-5191

**Body Style:** 

**Reliability Indicator:** 

2 uninsulated wire lead

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-240-5191

W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end

Not establishednot established					
Terminal Length:					
0.375 inches 0.375 inches					
Body Diameter:					
0.428 inches					
Body Length:					
0.677 inches					
Center To Center Distance Between Terminals Parallel To Diameter					
0.200 inches					
Terminal Diameter:					
0.032 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Anode Type:					
Plain foil					
Electrical Polarization:					
Polarized					
Capacitance Value Per Section:					
100.000 microfarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 105.0 degrees celsius					
Dc Leakage At Maximum Operating Temp:					
250.0 milliamperes					
Nonderated Continuous Voltage Rating And Type Per Section:					
15.0 dc single section					
Tolerance Range Per Section:					
-10.00/+100.00 percent single section					
Case Material:					
Metal					
Capacitive Electrode Material:					
Aluminum					
Equivalent Series Resistance At Reference Tempurature In Ohms:					
1.30					
Terminal Surface Treatment:					
Solder					
Case Insulation Material:					
Plastic					
Terminal Type And Quantity:					

## NSN 5910-01-240-5191

Electrolytic Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0