NSN 5910-01-245-1399

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-245-1399

E	30	ody	Sty	le:
_				

W/o mtg facilities, terminals on opposite surfaces

Reliability Indicator:

Not established

Terminal Length:

0.380 inches

Mounting Slot Width:

0.120 inches

Body Length:

0.390 inches

Body Width:

0.180 inches

Body Height:

0.350 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

End Application:

5895-01-142-8598 amplifier, power

Mounting Facility Type And Quantity:

2 mounting slots

Insulation Resistance At Maximum Operating Temp:

1000000000.0 megohms

Capacitance Value Per Section:

5600.000 picofarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

Nonderated Continuous Voltage Rating And Type Per Section:

1000.0 dc single section

Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

Tolerance Range Per Section:

-15.00/+25.00 percent single section

Case Material:

Ceramic

Insulation Resistance At Reference Temp:

100000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

0.002

Terminal Surface Treatment:

Silver

NSN 5910-01-245-1399

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Precious Material And Location:				
Terminal surfaces silver				
Terminal Type And Quantity:				
2 ribbon				
Shelf Life:				
N/a				
Unit Of Measure:				
Demilitarization:				
No				

Fiig: A010b0