NSN 5910-01-245-6619

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-245-6619 **Body Style:** Piston **Overall Length:** 0.578 inches **Terminal Length:** 0.500 inches **Body Length:** 0.313 inches **Overall Diameter:** 0.281 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -20.0/+20.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.219 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** 0.219 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 0.297 inches **Quality Factor At 25 Deg Celsius:** 3000.0 **Terminal Width:** 0.020 inches **Terminal Thickness:** 0.016 inches **Inclosure Type:** Encased **Tuning Characteristic:** Straight line capacity single section **Adjustment Device Torque:** Between 0.500 inch-ounces and 6.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius:

1000000.0 megohms

Insulation Dc Resistance At Max Operating Temp:

100000.0 megohms

Mounting Facility Type And Quantity:

3 terminal

Nonderated Operating Temp:

Between -65.0 degrees celsius and 125.0 degrees celsius

Capacitance Range In Picofarads:

+1.0/+14.0 single section

NSN 5910-01-245-6619

Fiig: A096a0

Air Dielectric Variable Capacitor - Page 2 of 2



Nonderated Voltage Rating And Type:
250.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Capacitance Drift In Picofarads:
0.01 single section
Material:
Aluminum base and ceramic base
Test Data Document:
81349-mil-c-14409 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
3 printed circuit
Specification Data:
81349-mil-c-14409/13 government specification
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No