NSN 5910-01-248-1366

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-248-1366

·
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Terminal Length:
1.181 inches
Body Diameter:
0.492 inches
Body Length:
0.984 inches
Center To Center Distance Between Terminals Parallel To Diameter
0.197 inches
Terminal Diameter:
0.024 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Electrical Polarization:
Polarized
End Application:
6625-01-115-0395 test set, semico
Capacitance Value Per Section:
1000.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
16.0 dc single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
16.000
Equivalent Series Resistance At Reference Tempurature In Ohms:
0.21
Dc Leakage At Reference Temp:
160.000 microamperes
Terminal Surface Treatment:

Solder

NSN 5910-01-248-1366

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0