Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-248-9298

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.250 inches

Body Length:

0.550 inches

#### Body Width:

0.375 inches

**Body Height:** 

0.170 inches

Center To Center Distance Between Terminals Parallel To Length:

0.400 inches

**Terminal Diameter:** 

0.020 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Internal Electrical Connection Type:

Extended foil

# Features Provided:

Hermetically sealed case

### Capacitance Value Per Section:

1000.000 microfarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-50.0/+50.0 single section

### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

#### **Case Material:**

Metal

**Terminal Surface Treatment:** 

Solder

**Dielectric Material:** 

Plastic

### **Case Insulation Material:**

Plastic



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0