

View Online at <https://aerobasegroup.com/nsn/5910-01-251-6914>

**Body Style:**

Compression

**Terminal Length:**

0.125 inches

**Body Length:**

0.200 inches

**Body Width:**

0.200 inches

**Body Height:**

0.060 inches

**Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:**

50.0 single section

**Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:**

-50.0/+50.0 single section

**Quality Factor At 25 Deg Celsius:**

1000.0

**Dissipation Factor At 25 Deg Celsius In Percent:**

0.2

**Fragility Factor:**

Moderately rugged

**Terminal Width:**

0.040 inches

**Terminal Thickness:**

0.005 inches

**Inclosure Type:**

Uninclosed

**Adjustment Device Torque:**

Between 0.200 inch-ounces and 2.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

10000.0 megohms

**Mounting Facility Type And Quantity:**

2 terminal

**Nonderated Operating Temp:**

Between -20.0 degrees celsius and 85.0 degrees celsius

**Capacitance Range In Picofarads:**

+1.0/+4.5 single section

**Nonderated Voltage Rating And Type:**

250.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

1 square hole

**Capacitance Drift In Picofarads:**

0.50 single section

**Material:**

Ceramic inclosure

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A096a0