Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-251-7996

#### **Body Style:**

W/o mtg facilities, terminal (s) on one end

#### **Reliability Indicator:**

Not established

# **Terminal Length:**

15.0 millimeters

#### **Body Diameter:**

5.0 millimeters

#### **Body Length:**

7.0 millimeters

#### Center To Center Distance Between Terminals Parallel To Diameter:

2.0 millimeters

#### **Terminal Diameter:**

0.45 millimeters

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## Anode Type:

Plain foil

# Impedance At Minimum Operating Tempurature In Ohms:

2.0

# **Electrical Polarization:**

Polarized

## Capacitance Value Per Section:

10.000 microfarads single section

## Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

## **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Metal

# **Capacitive Electrode Material:**

Aluminum

# Dc Leakage At Reference Temp:

3.000 microamperes

# **Case Insulation Material:**

Plastic

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

# NSN 5910-01-251-7996

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0