

View Online at https://aerobasegroup.com/nsn/5910-01-253-6139

## **Body Style:**

W/thd mtg bushing, terminals on opposite ends

**Reliability Indicator:** 

Not established

# Width Across Flats:

0.156 inches

#### **Terminal Length:**

0.120 inches

#### **Body Length:**

0.340 inches

## **Terminal Diameter:**

0.032 inches

### Schematic Diagram Designator:

Feedthrough

## Mounting Facility Screw Thread Series Designator:

Unc

# Mounting Facility Type And Quantity:

1 threaded bushing

### Features Provided:

Burn in

# Capacitance Value Per Section:

22000.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Thread Size:

0.112 inches

### Nonderated Continuous Voltage Rating And Type Per Section:

225.0 dc single section

### **Tolerance Range Per Section:**

-20.00/+80.00 percent single section

### Case Material:

Metal

# Insulation Resistance At Reference Temp:

10000.0 megohms

# Dissipation Factor At Reference Tempurature In Percent:

4.000

# **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

## Shelf Life:

N/a



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0