Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-256-5207

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

### **Reliability Indicator:**

Not established

## **Terminal Length:**

20.0 millimeters

#### Body Length:

16.5 millimeters

#### **Body Width:**

13.0 millimeters

#### **Body Height:**

13.0 millimeters

## Center To Center Distance Between Terminals Parallel To Length:

5.0 millimeters

#### **Terminal Diameter:**

0.8 millimeters

# Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Etched foil

## Impedance At Minimum Operating Tempurature In Ohms:

0.4

### **Electrical Polarization:**

Polarized

## Capacitance Value Per Section:

470.000 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+100.00 percent single section

#### Case Material:

Plastic

#### **Capacitive Electrode Material:**

Aluminum

### **Dissipation Factor At Reference Tempurature In Percent:**

0.200

## Equivalent Series Resistance At Reference Tempurature In Ohms:

0.68

#### Dc Leakage At Reference Temp:

5.000 microamperes

Electrolytic Fixed Capacitor - Page 2 of 2



**Terminal Surface Treatment:** 

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A010b0