NSN 5910-01-256-5208

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-256-5208
Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
20.0 millimeters
Body Length:
20.5 millimeters
Body Width:
13.0 millimeters
Body Height:
13.0 millimeters
Center To Center Distance Between Terminals Parallel To Length:
5.0 millimeters
Terminal Diameter:
0.8 millimeters
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Etched foil
Impedance At Minimum Operating Tempurature In Ohms:
0.3
Electrical Polarization:
Polarized
Capacitance Value Per Section:
470.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
16.0 dc single section
Tolerance Range Per Section:
-10.00/+100.00 percent single section
Case Material:
Plastic
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
0.200
Equivalent Series Resistance At Reference Tempurature In Ohms:

0.54

Dc Leakage At Reference Temp:

5.000 microamperes

NSN 5910-01-256-5208

Electrolytic Fixed Capacitor - Page 2 of 2



Terminal Surface Treatment:
Solder
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0