NSN 5910-01-257-1232

Ceramic Dielectric Variable Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-01-257-1232
Body Style:
Rotary
Terminal Length:
0.118 inches
Body Diameter:
0.205 inches
Body Height:
0.217 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
-470.0 single section
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-300.0/+900.0 single section
Center To Center Distance Between Terminals Parallel To Diameter:
0.220 inches
Unthreaded Mounting Hole Diameter:
0.047 inches
Inclosure Type:
Encased
Adjustment Device Torque:
Between 0.500 inch-ounces and 2.500 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
1000000.0 ohms
Mounting Facility Type And Quantity:
2 unthreaded hole
Nonderated Operating Temp:
Between -25.0 degrees celsius and 85.0 degrees celsius
Capacitance Range In Picofarads:
+3.5/+10.0 single section
Nonderated Voltage Rating And Type:
500.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Terminal Type And Quantity:
2 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
File:

A096a0