## NSN 5910-01-260-3567

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-01-260-3567

Body Style:
W/o mtg facilities terminal (s) on one surface
Terminal Length:
0.197 inches
Body Length:
1.180 inches
Body Width:
0.906 inches
Body Height:
0.532 inches
Capacitance Value Per Section:
2.200 microfarads single section
Nonderated Operating Temp:
85.0 degrees celsius
Newdowstad Continuous Valtage Batter And Tone Bar Continue
Nonderated Continuous Voltage Rating And Type Per Section:
160.0 ac-rms single section and 250.0 dc single section
160.0 ac-rms single section and 250.0 dc single section
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section:
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material:
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material:  Plastic
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material: Plastic  Terminal Type And Quantity:
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material:  Plastic  Terminal Type And Quantity: 2 uninsulated wire lead
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material: Plastic  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life:
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material: Plastic  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life: N/a
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material: Plastic  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life: N/a
160.0 ac-rms single section and 250.0 dc single section  Tolerance Range Per Section: -10.00/+10.00 percent single section  Case Material: Plastic  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life: N/a  Unit Of Measure:

A010b0