Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-265-0214

#### **Body Style:**

W/o mtg facilities, terminal (s) on one end

**Reliability Indicator:** 

Not established

### Terminal Length:

0.060 inches

#### **Body Diameter:**

Between 1.343 inches and 1.453 inches

#### **Body Length:**

Between 4.550 inches and 4.750 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.500 inches

**Terminal Diameter:** 

0.190 inches

Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

Anode Type:

Plain foil

**Electrical Polarization:** 

Polarized

#### Capacitance Value Per Section:

14000.000 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

#### Dc Leakage At Maximum Operating Temp:

6.3 milliamperes

#### Nonderated Continuous Voltage Rating And Type Per Section:

35.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### Case Material:

Metal

# Capacitive Electrode Material:

Aluminum

# Equivalent Series Resistance At Reference Tempurature In Ohms:

0.004

#### Dc Leakage At Reference Temp:

1.005 milliamperes

### **Terminal Surface Treatment:**

Solder

### **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0