NSN 5910-01-266-5743

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-266-5743

Body Style:
W/o mtg facilities, axial terminals
Reliability Indicator:
Not established
Terminal Length:
1.250 inches
Body Diameter:
0.375 inches
Body Length:
2.188 inches
Terminal Diameter:
Between 0.030 inches and 0.040 inches
Schematic Diagram Designator:
Electrod (s) grounded to case, w/gnd ter minal
Anode Type:
Plain foil
Impedance At Minimum Operating Tempurature In Ohms:
9.1
Electrical Polarization:
Polarized
Features Provided:
Burn in
Capacitance Value Per Section:
330.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
20.0 microamperes
Nonderated Continuous Voltage Rating And Type Per Section:
30.0 dc single section
Tolerance Range Per Section:
-10.00/+75.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
20.000
Dc Leakage At Reference Temp:
7.000 microamperes
Terminal Surface Treatment:
Solder

NSN 5910-01-266-5743 Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0