NSN 5910-01-269-5968

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-269-5968

Body Style:
W/o mtg facilities, axial terminals
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Diameter:
0.270 inches
Body Length:
0.640 inches
Terminal Diameter:
0.025 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Internal Electrical Connection Type:
Extended foil
Capacitance Value Per Section:
0.022 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 105.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
100.0 dc single section
Criticality Code Justification:
Zzzy
Tolerance Range Per Section:
-10.00/+10.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
250000.0 megohm-microfarads
Dissipation Factor At Reference Tempurature In Percent:
0.050
Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic polypropylene
Special Features:
Item must comply with requirements of defense supply center columbus production standard lo3912
Terminal Type And Quantity:
2 uninsulated wire lead
Reference Number Differentiating Characteristics:

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

NSN 5910-01-269-5968

Plastic Dielectric Fixed Capacitor - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0