NSN 5910-01-270-9120

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-270-9120	
Body Style:	
W/o mtg facilities, terminals on opposite surfaces	
Reliability Indicator:	
Not established	
Terminal Length:	
0.750 inches	
Body Length:	
Between 0.200 inches and 0.560 inches	
Body Width:	
Between 0.175 inches and 0.235 inches	
Body Height:	
Between 0.110 inches and 0.260 inches	
Terminal Diameter:	
0.034 inches	
Schematic Diagram Designator:	
No common or grounded electrode (s)	
Capacitance Value Per Section:	
91.000 picofarads single section	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 125.0 degrees celsius	
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsiu	ıs:
90.0 single section	
Nonderated Continuous Voltage Rating And Type Per Section:	
500.0 dc single section	
Tolerance Range Per Section:	
-5.00/+5.00 percent single section	
Case Material:	
Ceramic	
Insulation Resistance At Reference Temp:	
Insulation Resistance At Reference Temp: 100000.0 megohms	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp:	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000 Special Features:	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000 Special Features: Leads are axial copper wire or solid silver wire	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000 Special Features: Leads are axial copper wire or solid silver wire Terminal Type And Quantity:	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000 Special Features: Leads are axial copper wire or solid silver wire Terminal Type And Quantity: 2 uninsulated wire lead	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000 Special Features: Leads are axial copper wire or solid silver wire Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:	
Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.000 Special Features: Leads are axial copper wire or solid silver wire Terminal Type And Quantity: 2 uninsulated wire lead	

Demilitarization: No

NSN 5910-01-270-9120

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0