## NSN 5910-01-272-0212

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-272-0212

view Offiline at https://defobasegroup.com/hsh/os/10-01-2/2-0212
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Terminal Length:
0.750 inches
Body Diameter:
0.511 inches
Body Length:
0.984 inches
Center To Center Distance Between Terminals Parallel To Diameter
0.100 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Electrical Polarization:
Polarized
End Application:
6545-01-265-0015, parts kit test set electronic
Section Quantity:
1
Capacitance Value Per Section:
22.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
250.0 dc single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Plastic
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
9.00
Dc Leakage At Reference Temp:
20.000 microamperes
Reference Tempurature At Which Rated:
20.0 degrees celsius

Solder

**Terminal Surface Treatment:** 

## NSN 5910-01-272-0212

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 insulated wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0