## NSN 5910-01-274-9061

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-274-9061

Body Style:						
W/o mtg facilities terminal (s) on one surface						
Reliability Indicator:						
Not established						
Terminal Length:						
0.125 inches						
Body Length:						
0.230 inches						
Body Width:						
0.310 inches						
Body Height:						
0.130 inches						
Center To Center Distance Between Terminals Parallel To Length:						
0.200 inches						
Terminal Diameter:						
0.016 inches						
Schematic Diagram Designator:						
No common or grounded electrode (s)						
Anode Type:						
Solid						
Electrical Polarization:						
Polarized						
End Application:						
5895-01-205-0662 control eccm mo						
Capacitance Value Per Section:						
47.000 microfarads single section						
Nonderated Operating Temp:						
Between -55.0 degrees celsius and 85.0 degrees celsius						
Nonderated Continuous Voltage Rating And Type Per Section:						
6.0 dc single section						
Tolerance Range Per Section:						
-10.00/+10.00 percent single section						
Case Material:						
Plastic						
Capacitive Electrode Material:						
Tantalum						
Dissipation Factor At Reference Tempurature In Percent:						
10.000						
Dc Leakage At Reference Temp:						
3.000 microamperes						

Solder

**Terminal Surface Treatment:** 

## NSN 5910-01-274-9061

Electrolytic Fixed Capacitor - Page 2 of 2



S	pe	cia	l F	ea	tui	es
---	----	-----	-----	----	-----	----

Color coded first dot yellow, second dot violet, third dot blue, fourth dot silver; 100 percent lot screening for thermal shock and voltage aging

**Terminal Type And Quantity:** 

2 uninsulated wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0