Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-278-7119

# **Body Style:**

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

Terminal Length:

Between 1.100 inches and 1.180 inches

Body Diameter:

0.150 inches

**Body Length:** 

0.429 inches

**Terminal Diameter:** 

0.024 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

**Capacitance Value Per Section:** 

100.000 picofarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-125.0 single section

Nonderated Continuous Voltage Rating And Type Per Section:

630.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-60.0/+60.0 single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohm-microfarads

## **Dissipation Factor At Reference Tempurature In Percent:**

0.200

**Terminal Surface Treatment:** 

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

# NSN 5910-01-278-7119

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

