

View Online at <https://aerobasegroup.com/nsn/5910-01-284-2823>

Body Style:

Chip type

Reliability Indicator:

Not established

Terminal Length:

0.050 inches

Unable To Decode:

Unable to decode and unable to decode

Unable To Decode:

Unable to decode and unable to decode

Body Diameter:

Between 0.650 inches and 0.680 inches

Body Length:

0.050 inches

Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.044 inches and 0.076 inches

Terminal Diameter:

Between 0.032 inches and 0.038 inches

Schematic Diagram Designator:

Feedthrough

End Application:

5820-01-221-3440

Section Quantity:

2

Capacitance Value Per Section:

4700.000 picofarads 1st section

Voltage Temperature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied all sections

Nonderated Operating Temp:

Between -28.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc all sections

Tolerance Range Per Section:

-20.00/+20.00 percent all sections

Case Material:

Ceramic

Insulation Resistance At Reference Temp:

1.0 megohms

Special Features:

Terminals 1 through 12 and 14 with 4700 pf capacitance with respect to ground; terminals 13, 15 through 19 with 150 pf capacitance with respect to ground

Terminal Type And Quantity:

19 unthreaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0