NSN 5910-01-287-6625

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-287-6625

9· · · · · · · · · · · · · · · · · · ·
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Terminal Length:
0.984 inches
Body Diameter:
0.414 inches
Body Length:
0.591 inches
Center To Center Distance Between Terminals Parallel To Diameter:
0.200 inches
Terminal Diameter:
0.025 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Electrical Polarization:
Polarized
End Application:
4920-01-187-4068 test system, aut
Capacitance Value Per Section:
47.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
35.0 dc single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
10.000
Equivalent Series Resistance At Reference Tempurature In Ohms:
1.25
Dc Leakage At Reference Temp:
3.000 microamperes
Terminal Surface Treatment:

Solder

NSN 5910-01-287-6625

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0