NSN 5910-01-290-1233

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-290-1233

Body Style:

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

Terminal Length:

Between 0.219 inches and 0.281 inches

Body Diameter:

Between 1.729 inches and 1.791 inches

Body Length:

Between 4.068 inches and 4.192 inches

Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.734 inches and 0.766 inches

Terminal Diameter:

0.190 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Plain foil

Impedance At Minimum Operating Tempurature In Ohms:

4.0

Electrical Polarization:

Polarized

End Application:

4935-00-930-7250

Capacitance Value Per Section:

14000.000 microfarads single section

Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

Tolerance Range Per Section:

-10.00/+75.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Tempurature In Ohms:

0.0245

Dc Leakage At Reference Temp:

6000.000 microamperes

Case Insulation Material:

Plastic

NSN 5910-01-290-1233

Electrolytic Fixed Capacitor - Page 2 of 2



2 threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0