NSN 5910-01-291-2880

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-291-2880 **Body Style:** Rotary **Overall Length:** 0.280 inches **Terminal Length:** 0.118 inches **Overall Height:** 0.300 inches **Overall Width:** 0.290 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -750.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -300.0/+300.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 0.200 inches **Terminal Width:** 0.050 inches **Terminal Thickness:** 0.012 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 0.300 inch-ounces and 2.000 inch-ounces **Insulation Dc Resistance At Max Operating Temp:** 100000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +5.2/+30.0 single section **Nonderated Voltage Rating And Type:** 100.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Material: Plastic base **Terminal Type And Quantity:** 2 printed circuit Shelf Life:

N/a

NSN 5910-01-291-2880

Ceramic Dielectric Variable Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A096a0