NSN 5910-01-291-7671

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-291-7671				
Body Style:				
W/o mtg facilities, axial terminals				
Reliability Indicator:				
Not established				
Terminal Length:				
1.500 inches				
Body Diameter:				
0.332 inches				
Body Length:				
0.937 inches				
Terminal Diameter:				
0.032 inches				
Schematic Diagram Designator:				
Electrod (s) grounded to case, w/gnd terminal				
End Application:				
An/aps-133v2				
Features Provided:				
Burn in and hermetically sealed case				
Insulation Resistance At Maximum Operating Temp:				
750.0 megohm-microfarads				
Capacitance Value Per Section:				
0.010 microfarads single section				
Nonderated Operating Temp:				
Between -55.0 degrees celsius and 125.0 degrees celsius				
Nonderated Continuous Voltage Rating And Type Per Section:				
600.0 dc single section				
Tolerance Range Per Section:				
-5.00/+5.00 percent single section				
Case Material:				
Metal				
Insulation Resistance At Reference Temp:				
100000.0 megohm-microfarads				
Dissipation Factor At Reference Tempurature In Percent:				
0.400				
Terminal Surface Treatment:				
Solder				
Case Insulation Material:				
Plastic				
Terminal Type And Quantity:				
2 uninsulated wire lead				
Shelf Life:				

N/a

NSN 5910-01-291-7671

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A010b0