

View Online at https://aerobasegroup.com/nsn/5910-01-293-3829

Body Style:

W/o mtg facilities, radial terminals

Reliability Indicator:

Not established

Terminal Length:

10.0 millimeters

Body Diameter:

Between 5.7 millimeters and 6.3 millimeters

Body Length:

Between 16.5 millimeters and 17.5 millimeters

Center To Center Distance Between Terminals Parallel To Length:

Between 12.3 millimeters and 13.1 millimeters

Terminal Diameter:

0.6 millimeters

Schematic Diagram Designator:

No common or grounded electrode (s)

Internal Electrical Connection Type:

Extended foil

Capacitance Value Per Section:

22.000 picofarads single section

Nonderated Operating Temp:

Between -40.0 degrees celsius and 70.0 degrees celsius

Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-120.0 single section

Nonderated Continuous Voltage Rating And Type Per Section:

750.0 ac-rms single section

Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-50.0/+50.0 single section

Tolerance Range Per Section:

-5.00/+5.00 percent single section

Case Material:

Plastic

Dielectric Material:

Plastic polystyrene

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5910-01-293-3829

Plastic Dielectric Fixed Capacitor - Page 2 of 2

Fiig: A010b0

