Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-295-0878

# Body Style:

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

# Terminal Length:

0.750 inches

**Body Length:** 

0.375 inches

#### **Body Width:**

0.550 inches

**Body Height:** 

0.100 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.335 inches and 0.415 inches

### **Terminal Diameter:**

0.033 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

10000.0 megohms

### Capacitance Value Per Section:

0.001 microfarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

50000.0 megohms

# **Dissipation Factor At Reference Tempurature In Percent:**

1.000

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0