NSN 5910-01-295-3329



Electrolytic Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-295-3329 **Body Style:** W/o mtg facilities, terminal (s) on one end Reliability Indicator: Not established **Terminal Length:** 1.900 inches **Body Diameter:** 0.750 inches **Body Length:** 2.625 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Terminal Diameter:** 0.040 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 0.2 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 150.000 microfarads single section **Nonderated Operating Temp:** Between 0.0 degrees celsius and 85.0 degrees celsius Dc Leakage At Maximum Operating Temp: 0.582 milliamperes Nonderated Continuous Voltage Rating And Type Per Section: 250.0 dc single section **Tolerance Range Per Section:** -10.00/+25.00 percent single section **Case Material:** Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Tempurature In Ohms:

0.30

Dc Leakage At Reference Temp:

0.097 milliamperes

Terminal Surface Treatment:

Solder

NSN 5910-01-295-3329

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 uninsulated wire lead
Specification Data:
53711-6262291 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0