

View Online at https://aerobasegroup.com/nsn/5910-01-296-3451

_	
	dy Style:
	ip type
	liability Indicator:
No	t established
Tei	rminal Length:
0.0	15 inches
Во	dy Length:
Bet	tween 0.030 inches and 0.080 inches
Во	dy Width:
Bet	tween 0.040 inches and 0.070 inches
Во	dy Height:
Bet	tween 0.020 inches and 0.057 inches
Sc	hematic Diagram Designator:
No	common or grounded electrode (s)
Ins	sulation Resistance At Maximum Operating Temp:
100	00.0 megohms
Ca	pacitance Value Per Section:
8.2	200 picofarads single section
No	nderated Operating Temp:
Bet	tween -55.0 degrees celsius and 125.0 degrees celsius
Те	mpurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0	single section
No	nderated Continuous Voltage Rating And Type Per Section:
50.	0 dc single section
То	lerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-30	0.0/+30.0 single section
То	lerance Range Per Section:
-10	0.00/+10.00 percent single section
Ca	se Material:
Ce	ramic or glass
Ins	sulation Resistance At Reference Temp:
100	0000.0 megohms
Dis	ssipation Factor At Reference Tempurature In Percent:
0.1	50
Tei	rminal Surface Treatment:
Pa	lladium and silver
Pre	ecious Material And Location:
Tei	rminal surfaces palladium and terminal surfaces silver
Tei	rminal Type And Quantity:
2 b	oonding pad
Sh	elf Life:
N/a	a



Unit Of Measure:

Demilitarization:

No

Fiig:

A010b0