NSN 5910-01-296-7529

Body Style:

2 bonding pad

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-296-7529

Chip type
Reliability Indicator:
Not established
Terminal Length:
0.020 inches
Body Length:
0.080 inches
Body Width:
0.050 inches
Body Height:
0.050 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
End Application:
5820-01-221-3440 radio set
Insulation Resistance At Maximum Operating Temp:
10000.0 megohms
Capacitance Value Per Section:
8.200 picofarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0 single section
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-30.0/+30.0 single section
Tolerance Range Per Section:
-0.25/+0.25 picofarads single section
Case Material:
Ceramic
Insulation Resistance At Reference Temp:
100000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
0.100
Terminal Surface Treatment:
Palladium and silver
Precious Material And Location:
Terminal surfaces palladium and terminal surfaces silver
Terminal Type And Quantity:

NSN 5910-01-296-7529

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0