Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-298-7889

# **Body Style:**

W/o mtg facilities, terminal (s) on one end

# **Reliability Indicator:**

Not established

# Terminal Length:

Between 0.625 inches and 0.875 inches

# **Body Diameter:**

0.250 inches

#### **Body Length:**

0.400 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.070 inches and 0.130 inches

# **Terminal Diameter:**

0.020 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Solid

#### **Electrical Polarization:**

Polarized

# Capacitance Value Per Section:

15.000 microfarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

20.0 dc single section

# **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

# **Capacitive Electrode Material:**

Tantalum

# **Dissipation Factor At Reference Tempurature In Percent:**

8.000

# Dc Leakage At Reference Temp:

5.000 microamperes

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

# NSN 5910-01-298-7889

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0