Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-299-3670

### **Body Style:**

W/o mtg facilities, terminal (s) on one end

### **Reliability Indicator:**

Not established

## Terminal Length:

Between 0.032 inches and 0.094 inches

#### **Body Diameter:**

Between 1.344 inches and 1.406 inches

#### **Body Length:**

Between 3.563 inches and 3.687 inches

### Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.484 inches and 0.516 inches

### **Terminal Diameter:**

0.190 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Anode Type:

Plain foil

### Electrical Polarization:

Polarized

### End Application:

6625-01-252-4242

### Capacitance Value Per Section:

27000.000 microfarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

15.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+75.00 percent single section

#### **Case Material:**

Metal

# **Capacitive Electrode Material:**

Aluminum

# Dc Leakage At Reference Temp:

6000.000 microamperes

# Case Insulation Material:

Plastic

# Terminal Type And Quantity:

2 threaded hole

## Shelf Life:

N/a

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0