

View Online at <https://aerobasegroup.com/nsn/5910-01-299-8618>

**Body Style:**

Rotary

**Terminal Length:**

0.118 inches

**Body Length:**

0.256 inches

**Body Width:**

0.220 inches

**Body Height:**

0.197 inches

**Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:**

0.0 single section

**Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:**

-30.0/+30.0 single section

**Center To Center Distance Between Terminals Parallel To Diameter:**

0.206 inches

**Quality Factor At 25 Deg Celsius:**

500.0

**Fragility Factor:**

Moderately rugged

**Terminal Width:**

0.040 inches

**Terminal Thickness:**

0.010 inches

**End Application:**

Rt-1389

**Inclosure Type:**

Encased

**Adjustment Device Torque:**

Between 0.500 inch-ounces and 3.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

1000.0 megohms

**Mounting Facility Type And Quantity:**

2 terminal

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

**Capacitance Range In Picofarads:**

+3.5/+25.0 single section

**Nonderated Voltage Rating And Type:**

100.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

1 slotted screw

**Capacitance Drift In Picofarads:**

0.50 single section

**Material:**

Ceramic inclosure

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A096a0