NSN 5910-01-307-3417

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-307-3417 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 4.0 millimeters **Body Length:** 32.0 millimeters **Body Width:** 19.4 millimeters **Body Height:** 11.0 millimeters Center To Center Distance Between Terminals Parallel To Length: 27.9 millimeters **Terminal Diameter:** 3.2 millimeters **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** 6625-01-253-3240 meter, modulatio **Capacitance Value Per Section:** 2.200 microfarads single section **Nonderated Operating Temp:** 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 250.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section Case Material: **Plastic Insulation Resistance At Reference Temp:** 10000.0 megohms **Power Factor At Reference Tempurature In Percent:** 0.010 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a

Unit Of Measure:

NSN 5910-01-307-3417

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



_		••	• -				
1	em		ゖっ	riz	2 †1	n	
_			ıιa	114	au	VII	١.

No

Fiig:

A010b0