NSN 5910-01-310-6908

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-310-6908 **Body Style:** Piston **Overall Length:** 0.170 inches **Terminal Length:** 0.005 inches **Body Length:** 0.090 inches **Overall Diameter:** 0.118 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 100.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -300.0/+300.0 single section **Terminal Diameter:** 0.190 inches **Quality Factor At 25 Deg Celsius:** 500.0 **End Application:** 6625-01-152-6705 test set transp **Inclosure Type:** Encased **Adjustment Device Torque:** Between 0.200 inch-ounces and 2.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 100000.0 megohms **Mounting Facility Type And Quantity:** 1 terminal **Nonderated Operating Temp:** Between -65.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +2.5/+8.5 single section **Nonderated Voltage Rating And Type:** 500.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 1 flange Shelf Life: N/a **Unit Of Measure:**

--

NSN 5910-01-310-6908

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A096a0