

View Online at https://aerobasegroup.com/nsn/5910-01-310-9267

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

# **Terminal Length:**

1.000 inches

Body Length:

0.300 inches

### **Body Width:**

0.300 inches

**Body Height:** 

0.160 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.185 inches and 0.215 inches

#### **Terminal Diameter:**

Between 0.010 inches and 0.040 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

## Insulation Resistance At Maximum Operating Temp:

10000.0 megohms

### **Capacitance Value Per Section:**

0.0238 microfarads single section

## Nonderated Operating Temp:

Between 0.0 degrees celsius and 125.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

100000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

0.150

# **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0