NSN 5910-01-311-2218

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-311-2218 **Body Style:** Rotary **Terminal Length:** 0.100 inches **Overall Height:** 0.377 inches **Overall Diameter:** 0.375 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -650.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Fragility Factor:** Moderately rugged **Inclosure Type: Encased Adjustment Device Torque:** Between 1.000 inch-ounces and 8.500 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +9.0/+35.0 single section **Nonderated Voltage Rating And Type:** 200.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: +1.50/+7.00 single section and -5.00/-1.50 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Material: Ceramic inclosure **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure:**

--

NSN 5910-01-311-2218

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A096a0