

View Online at <https://aerobasegroup.com/nsn/5910-01-311-5312>

**Body Style:**

W/twist tab mtg, terminal (s) on one end

**Reliability Indicator:**

Not established

**Terminal Length:**

0.328 inches

**Body Diameter:**

1.015 inches

**Body Length:**

2.046 inches

**Terminal Diameter:**

Between 0.057 inches and 0.062 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**Anode Type:**

Plain foil

**Electrical Polarization:**

Polarized

**End Application:**

Wasp class lhd, nimitz class cvn, tarawa class lha, integrated underwater surveillance systems, seawolf class ssn, oliver perry class ffg

**Capacitance Value Per Section:**

25.000 microfarads single section

**Nonderated Operating Temp:**

Between -20.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

475.0 dc single section

**Criticality Code Justification:**

Feat

**Tolerance Range Per Section:**

-10.00/+50.00 percent single section

**Case Material:**

Metal

**Capacitive Electrode Material:**

Aluminum

**Dissipation Factor At Reference Temperature In Percent:**

18.000

**Equivalent Series Resistance At Reference Temperature In Ohms:**

9.00

**Dc Leakage At Reference Temp:**

167.000 milliamperes

**Terminal Surface Treatment:**

Solder

**Case Insulation Material:**

Plastic

**Special Features:**

Weapons system essential

**Terminal Type And Quantity:**

4 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0