

View Online at https://aerobasegroup.com/nsn/5910-01-312-3366

# **Body Style:**

W/o mtg facilities, terminals on opposite surfaces

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.500 inches

Body Length:

Between 0.600 inches and 0.780 inches

#### **Body Width:**

Between 0.130 inches and 0.210 inches

#### **Body Height:**

Between 0.270 inches and 0.370 inches

### **Terminal Diameter:**

0.020 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## **End Application:**

6625-01-146-1554 test set, electr

#### **Capacitance Value Per Section:**

0.220 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-4.0/+8.0 single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

### **Case Material:**

Plastic

# Insulation Resistance At Reference Temp:

50000.0 megohms

# Dissipation Factor At Reference Tempurature In Percent:

0.500

# **Terminal Surface Treatment:**

Solder

## **Dielectric Material:**

Plastic polyester

### **Terminal Type And Quantity:**

2 uninsulated wire lead



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0